

## Universal Hemp Panel

**ANALYZED BY:**

Anresco Laboratories  
 1375 Van Dyke Avenue,  
 San Francisco, CA 94124  
 C8-0000052-LIC


**CUSTOMER:**

Smoky Flower Hemp LLC  
 11795 SE HWY 212 # C  
 Clackamas 97015  
 AG-L1095653FP/AG-L1094701HVS/AG-R1094892IHH

**MANUFACTURER:**

Smoky Flower Hemp LLC  
 11795 SE HWY 212 # C  
 Clackamas 97015  
 AG-L1095653FP/AG-L1094701HVS/AG-R1094892IHH

**SAMPLE INFORMATION**

Sample No.: 1351355  
 Product Name: hemp blueberry  
 Matrix: Edible (Gummy)  
 Lot #: 10-100225

Date Collected: 10/16/2025  
 Date Received: 10/15/2025  
 Date Reported: 10/22/2025

**TEST SUMMARY**

|                           |        |                          |      |
|---------------------------|--------|--------------------------|------|
| Cannabinoid Profile:      | Tested | Microbiological Screen:  | Pass |
| Pesticide Residue Screen: | Pass   | Residual Solvent Screen: | Pass |
| Heavy Metal Screen:       | Pass   | Foreign Material:        | Pass |
| Mycotoxin Screen:         | Pass   | Water Activity:          | Pass |

**Customer Comment(s):**

The batch was processed in a facility that holds a current and valid permit issued by a human health or food safety regulatory entity with authority over the facility, and that facility meets the human health or food safety sanitization requirements of the regulatory entity.

**Cannabinoid Profile** ✓ Tested

10/22/2025

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection:** 0.0333 mg/g  
**Limit of Quantitation:** 0.1000 mg/g

| Cannabinoid                  | mg/g   | %      | mg/serving | mg/package | Labeled mg/serving | % Difference | Status |
|------------------------------|--------|--------|------------|------------|--------------------|--------------|--------|
| Δ8-THC                       | ND     | ND     | ND         | ND         | -                  | -            | -      |
| Δ9-THC                       | 0.522  | 0.0522 | 1.150      | 22.992     | 1                  | 14.960       | -      |
| Δ9-THCA                      | ND     | ND     | ND         | ND         | -                  | -            | -      |
| THCV                         | ND     | ND     | ND         | ND         | -                  | -            | -      |
| THCVA                        | ND     | ND     | ND         | ND         | -                  | -            | -      |
| CBD                          | 5.696  | 0.5696 | 12.531     | 250.63     | 10                 | 25.315       | -      |
| CBDA                         | ND     | ND     | ND         | ND         | -                  | -            | -      |
| CBC                          | <LOQ   | <LOQ   | <LOQ       | <LOQ       | -                  | -            | -      |
| CBCA                         | ND     | ND     | ND         | ND         | -                  | -            | -      |
| CBDV                         | ND     | ND     | ND         | ND         | -                  | -            | -      |
| CBG                          | ND     | ND     | ND         | ND         | -                  | -            | -      |
| CBGA                         | ND     | ND     | ND         | ND         | -                  | -            | -      |
| CBN                          | 1.348  | 0.1348 | 2.965      | 59.300     | 2.5                | 18.600       | -      |
| Exo-THC                      | ND     | ND     | ND         | ND         | -                  | -            | -      |
| (6aR,9R)-Δ10-THC             | ND     | ND     | ND         | ND         | -                  | -            | -      |
| (6aR,9S)-Δ10-THC             | ND     | ND     | ND         | ND         | -                  | -            | -      |
| 9(R)-<br>Hexahydrocannabinol | ND     | ND     | ND         | ND         | -                  | -            | -      |
| 9(S)-<br>Hexahydrocannabinol | ND     | ND     | ND         | ND         | -                  | -            | -      |
| Δ8-THC-O-Acetate             | ND     | ND     | ND         | ND         | -                  | -            | -      |
| Δ9-THC-O-Acetate             | ND     | ND     | ND         | ND         | -                  | -            | -      |
| THC-O-Phosphate              | NT     | NT     | NT         | NT         | -                  | -            | -      |
| 88-THCP                      | ND     | ND     | ND         | ND         | -                  | -            | -      |
| 89-THCP                      | ND     | ND     | ND         | ND         | -                  | -            | -      |
| Total THC                    | 0.522  | 0.0522 | 1.150      | 22.992     | -                  | -            | Pass   |
| Total CBD                    | 5.696  | 0.5696 | 12.531     | 250.63     | -                  | -            | -      |
| Total Cannabinoids           | 7.566  | 0.7566 | 16.646     | 332.922    | -                  | -            | -      |
| Sum of Cannabinoids          | 7.566  | 0.7566 | 16.646     | 332.922    | -                  | -            | -      |
| <b>Serving Weight (g)</b>    | 2.2002 |        |            |            |                    |              |        |
| <b>Package Weight (g)</b>    | 44.004 |        |            |            |                    |              |        |

Total THC =  $\Delta 8\text{-THC} + \Delta 9\text{-THC} + (0.877 * \text{THCA})$

Total CBD = CBD + (0.877 \* CBDA)

Total Cannabinoids =  $\Sigma$  (neutral cannabinoids) + [0.877 \*  $\Sigma$  (acidic cannabinoids)]

**Comment(s):** This result of this sample is confirmed with a retest.

## Microbiological Screen Pass

10/22/2025

| Analyte                   | Findings | Units | Method             | Limit | Status |
|---------------------------|----------|-------|--------------------|-------|--------|
| Salmonella                | ND       | /10g  | AOAC 2016.01       | ND    | Pass   |
| STEC                      | ND       | /10g  | MF-MICRO-18        | ND    | Pass   |
| Aspergillus flavus        | ND       | /10g  | MF-MICRO-14        | ND    | Pass   |
| Aspergillus fumigatus     | ND       | /10g  | MF-MICRO-14        | ND    | Pass   |
| Aspergillus niger         | ND       | /10g  | MF-MICRO-14        | ND    | Pass   |
| Aspergillus terreus       | ND       | /10g  | MF-MICRO-14        | ND    | Pass   |
| Listeria Species          | ND       | /10g  | AOAC 2016.07       | ND    | Pass   |
| Total Aerobic Plate Count | <10      | cfu/g | FDA BAM            | 100   | Pass   |
| Total Coliforms           | <10      | cfu/g | FDA BAM - ECC Agar | 100   | Pass   |
| E. Coli                   | ND       | /1g   | FDA BAM Modified   | 1     | Pass   |
| Total Enterobacteriaceae  | <10      | cfu/g | AOAC 2003.01       | ND    | Pass   |
| Staphylococcus aureus     | <10      | cfu/g | AOAC 2003.07       | ND    | Pass   |
| Total Yeast and Mold      | <10      | cfu/g | FDA BAM            | 1,000 | Pass   |

## Pesticide Residue Screen Pass

10/22/2025

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte               | LOD/LOQ ( $\mu\text{g/g}$ ) | Findings ( $\mu\text{g/g}$ ) | Limit ( $\mu\text{g/g}$ ) | Status |
|-----------------------|-----------------------------|------------------------------|---------------------------|--------|
| Abamectin             | 0.015/0.05                  | ND                           | 0.05                      | Pass   |
| Acephate              | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Acequinocyl           | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Acetamiprid           | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Aldicarb              | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Allethrin             | 0.015/0.05                  | ND                           | 0.05                      | Pass   |
| Ancymidol             | 0.02/0.06                   | ND                           | 0.06                      | Pass   |
| Anthraquinone         | 0.05/0.15                   | ND                           | 0.25                      | Pass   |
| Atrazine              | 0.007/0.02                  | ND                           | 0.02                      | Pass   |
| Azadirachtin          | 0.100/0.30                  | ND                           | 0.3                       | Pass   |
| Azoxystrobin          | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Benzovindiflupyr      | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Bifenazate            | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Bifenthrin            | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Boscalid              | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Buprofezin            | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Captan                | 0.250/0.7                   | ND                           | 0.7                       | Pass   |
| Carbaryl              | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Carbofuran            | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Chlorantraniliprole   | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Chlordane             | 0.020/0.06                  | ND                           | 0.06                      | Pass   |
| Chlorfenapyr          | 0.015/0.05                  | ND                           | 0.05                      | Pass   |
| Chlorimequat Chloride | 0.03/0.10                   | ND                           | 0.1                       | Pass   |
| Chlorpyrifos          | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Clothianidin          | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Clofentezine          | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Coumaphos             | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Cyantraniliprole      | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Cyfluthrin            | 0.015/0.05                  | ND                           | 0.05                      | Pass   |
| Cyhalothrin (Lambda)  | 0.030/0.10                  | ND                           | 0.1                       | Pass   |
| Cypermethrin          | 0.015/0.05                  | ND                           | 0.05                      | Pass   |
| Cyprodinil            | 0.03/0.10                   | ND                           | 0.1                       | Pass   |
| Daminozide            | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Deltamethrin I/II     | 0.015/0.05                  | ND                           | 0.05                      | Pass   |
| DDVP (Dichlorvos)     | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Diazinon              | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Dimethoate            | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Dimethomorph          | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Dinotefuran           | 0.007/0.02                  | ND                           | 0.02                      | Pass   |
| Diuron                | 0.007/0.02                  | ND                           | 0.02                      | Pass   |
| Dodemorph             | 0.003/0.01                  | ND                           | 0.01                      | Pass   |
| Endosulfan I (alpha)  | 0.015/0.05                  | ND                           | 0.05                      | Pass   |
| Endosulfan II (beta)  | 0.015/0.05                  | ND                           | 0.05                      | Pass   |

| Analyte                 | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Endosulfan Sulfate      | 0.015/0.05     | ND              | 0.05         | Pass   |
| Ethoprop(hos)           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Etofenprox              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Etoxazole               | 0.003/0.01     | ND              | 0.01         | Pass   |
| Etridiazole             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenhexamid              | 0.007/0.02     | ND              | 0.02         | Pass   |
| Fenoxy carb             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenpyroximate           | 0.007/0.02     | ND              | 0.02         | Pass   |
| Fensulfothion           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenthion                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenvalerate I/II        | 0.015/0.05     | ND              | 0.05         | Pass   |
| Fipronil                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Flonicamid              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fludioxonil             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fluopyram               | 0.003/0.01     | ND              | 0.01         | Pass   |
| Flurprimidol            | 0.03/0.10      | ND              | 0.1          | Pass   |
| Hexythiazox             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Imazalil                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Imidacloprid            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Indole-3-butyric Acid   | 0.08/0.25      | ND              | 0.25         | Pass   |
| Iprodione               | 0.015/0.05     | ND              | 0.05         | Pass   |
| Kinoprene               | 0.015/0.05     | ND              | 0.05         | Pass   |
| Kresoxim Methyl         | 0.003/0.01     | ND              | 0.01         | Pass   |
| Malathion               | 0.003/0.01     | ND              | 0.01         | Pass   |
| Metalaxy                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Methiocarb              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Methomyl                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Methoprene              | 0.100/0.30     | ND              | 0.3          | Pass   |
| Methyl parathion        | 0.003/0.01     | ND              | 0.01         | Pass   |
| Mevinphos               | 0.007/0.02     | ND              | 0.02         | Pass   |
| MGK 264                 | 0.015/0.05     | ND              | 0.05         | Pass   |
| Myclobutanil            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Naled                   | 0.003/0.01     | ND              | 0.01         | Pass   |
| Novaluron               | 0.007/0.02     | ND              | 0.02         | Pass   |
| Oxamyl                  | 0.003/0.01     | ND              | 0.01         | Pass   |
| Paclobutrazol           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pendimethalin           | 0.030/0.10     | ND              | 0.1          | Pass   |
| Pentachloronitrobenzene | 0.003/0.01     | ND              | 0.01         | Pass   |
| Permethrins             | 0.015/0.05     | ND              | 0.05         | Pass   |
| Phenothrin              | 0.030/0.10     | ND              | 0.1          | Pass   |
| Phosmet                 | 0.003/0.01     | ND              | 0.01         | Pass   |
| Piperonyl Butoxide      | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pirimicarb              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Prallethrin             | 0.015/0.05     | ND              | 0.05         | Pass   |
| Propiconazole           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Propoxur                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pyraclostrobin          | 0.003/0.010    | ND              | 0.01         | Pass   |
| Pyrethrins              | 0.015/0.05     | ND              | 0.05         | Pass   |
| Pyridaben               | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pyriproxyfen            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Resmethrin              | 0.007/0.02     | ND              | 0.02         | Pass   |
| Spinetoram              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Spinosad                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Spirodiclofen           | 0.050/0.15     | ND              | 0.15         | Pass   |
| Spiromesifen            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Spirotetramat           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Spiroxamine             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Tebuconazole            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Tebufenozide            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Teflubenzuron           | 0.007/0.02     | ND              | 0.02         | Pass   |
| Tetrachlorvinphos       | 0.003/0.01     | ND              | 0.01         | Pass   |
| Tetramethrin            | 0.015/0.05     | ND              | 0.05         | Pass   |
| Thiabendazole           | 0.007/0.02     | ND              | 0.02         | Pass   |
| Thiacloprid             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Thiamethoxam            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Thiophanate Methyl      | 0.007/0.02     | ND              | 0.02         | Pass   |
| Trifloxystrobin         | 0.003/0.01     | ND              | 0.01         | Pass   |
| 2-Phenylphenol          | 0.08/0.25      | ND              | 0.25         | Pass   |
| 3,4-Dichloroaniline     | 0.08/0.25      | ND              | 0.25         | Pass   |
| Acetochlor              | 0.05/0.15      | ND              | 0.5          | Pass   |

| Analyte                          | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|----------------------------------|----------------|-----------------|--------------|--------|
| Alachlor                         | 0.05/0.15      | ND              | 0.25         | Pass   |
| Ametryn                          | 0.03/0.10      | ND              | 0.5          | Pass   |
| Aminocarb                        | 0.03/0.10      | ND              | 0.25         | Pass   |
| Biphenyl                         | 0.08/0.25      | ND              | 0.25         | Pass   |
| Carbendazim                      | 0.03/0.10      | ND              | 0.5          | Pass   |
| Cycloate                         | 0.08/0.25      | ND              | 0.5          | Pass   |
| Cyromazine                       | 0.03/0.10      | ND              | 0.5          | Pass   |
| DCPA Dacthal, Chlorthal-dimethyl | 0.03/0.10      | ND              | 0.5          | Pass   |
| Diclobutrazol                    | 0.02/0.06      | ND              | 0.5          | Pass   |
| Diflubenzuron                    | 0.08/0.25      | ND              | 0.5          | Pass   |
| Diphenylamine                    | 0.08/0.25      | ND              | 0.5          | Pass   |
| Ethirimol                        | 0.02/0.06      | ND              | 0.5          | Pass   |
| Flutriafol                       | 0.05/0.15      | ND              | 0.5          | Pass   |
| Formetanate HCl                  | 0.03/0.10      | ND              | 0.1          | Pass   |
| Hexaconazole                     | 0.05/0.15      | ND              | 0.5          | Pass   |
| Hydramethylnon                   | 0.05/0.15      | ND              | 0.5          | Pass   |
| Indoxacarb                       | 0.05/0.15      | ND              | 0.5          | Pass   |
| Mandipropamid                    | 0.03/0.10      | ND              | 0.5          | Pass   |
| Metaflumizone                    | 0.08/0.25      | ND              | 0.5          | Pass   |
| Methoxyfenozide                  | 0.02/0.06      | ND              | 0.5          | Pass   |
| Metolachlor                      | 0.05/0.15      | ND              | 0.25         | Pass   |
| Nuarimol                         | 0.05/0.15      | ND              | 0.5          | Pass   |
| o,p'-DDD                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| o,p'-DDE                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| o,p'-DDT                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| p,p'-DDD                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| p,p'-DDE                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| p,p'-DDT                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| Pentachloroanisole               | 0.10/0.30      | ND              | 0.5          | Pass   |
| Prometryne                       | 0.02/0.06      | ND              | 0.5          | Pass   |
| Propamocarb                      | 0.08/0.25      | ND              | 0.5          | Pass   |
| Propargite                       | 0.08/0.25      | ND              | 0.5          | Pass   |
| Propyzamide                      | 0.05/0.15      | ND              | 0.5          | Pass   |
| Pymetrozine                      | 0.03/0.10      | ND              | 0.5          | Pass   |
| Pyrimethanil                     | 0.03/0.10      | ND              | 0.5          | Pass   |
| Quinoxifen                       | 0.03/0.10      | ND              | 0.5          | Pass   |
| Sulfoxaflor                      | 0.03/0.10      | ND              | 0.25         | Pass   |
| Tau-Fluvalinate                  | 0.08/0.25      | ND              | 0.5          | Pass   |
| Terbutryn                        | 0.02/0.06      | ND              | 0.25         | Pass   |
| Thiobencarb                      | 0.03/0.10      | ND              | 0.5          | Pass   |
| Tricyclazole                     | 0.02/0.06      | ND              | 0.5          | Pass   |
| Triflumizole                     | 0.05/0.15      | ND              | 0.5          | Pass   |

**Residual Solvent Screen**  **Pass**

10/21/2025

| Analyte                              | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,1-Dichloroethene                   | 2/4           | ND             | 8           | Pass   |
| 1,2-Dichloroethane                   | 0.2/0.5       | ND             | 1           | Pass   |
| Acetone                              | 14/40         | ND             | 5000        | Pass   |
| Acetonitrile                         | 14/40         | ND             | 410         | Pass   |
| Benzene                              | 0.2/0.5       | ND             | 1           | Pass   |
| n-Butane                             | 14/40         | ND             | 800         | Pass   |
| Chloroform                           | 0.2/0.5       | ND             | 1           | Pass   |
| Ethanol                              | 14/40         | ND             | 5000        | Pass   |
| Ethyl acetate                        | 14/40         | ND             | 5000        | Pass   |
| Ethyl ether                          | 14/40         | ND             | 5000        | Pass   |
| Ethylene oxide                       | 0.2/0.5       | ND             | 1           | Pass   |
| n-Heptane                            | 14/40         | ND             | 500         | Pass   |
| n-Hexane                             | 14/40         | ND             | 100         | Pass   |
| Isopropyl alcohol                    | 14/40         | ND             | 500         | Pass   |
| Methanol                             | 14/40         | <LOQ           | 3000        | Pass   |
| Methylene chloride                   | 0.2/0.5       | ND             | 1           | Pass   |
| n-Pentane                            | 14/40         | ND             | 5000        | Pass   |
| Propane                              | 14/40         | ND             | 210         | Pass   |
| Toluene                              | 14/40         | ND             | 890         | Pass   |
| Total xylenes (ortho-, meta-, para-) | 14/40         | ND             | 2170        | Pass   |
| Trichloroethylene                    | 0.2/0.5       | ND             | 1           | Pass   |

**Heavy Metal Screen**  **Pass**

10/21/2025

**Method:** MF 24E020

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---------|------------------|-----------------|-------|--------|
| Arsenic | 0.02/0.05        | ND              | 0.2   | Pass   |
| Cadmium | 0.02/0.05        | ND              | 0.2   | Pass   |
| Mercury | 0.02/0.05        | ND              | 0.1   | Pass   |
| Lead    | 0.02/0.05        | ND              | 0.5   | Pass   |

**Foreign Material**  **Pass**

10/21/2025

**Method:** MF-CHEM-7

| Analyte                        | Findings | Limit    | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

**Mycotoxin Screen**  **Pass**

10/22/2025

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte          | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1     | 2/5             | ND               | 5             | -      |
| Aflatoxin B2     | 2/5             | ND               | 20            | -      |
| Aflatoxin G1     | 2/5             | ND               | 20            | -      |
| Aflatoxin G2     | 2/5             | ND               | 20            | -      |
| Total Aflatoxins | 8/20            | ND               | 20            | Pass   |
| Ochratoxin A     | 2/5             | ND               | 5             | Pass   |

**Water Activity**  **Pass**

10/21/2025

**Method:** MF-CHEM-14

**Instrument:** Water Activity Meter

| Analyte        | Findings | Limit | Status |
|----------------|----------|-------|--------|
| Water Activity | 0.60     | 0.85  | Pass   |

Reported by




 Eric Tam  
 Senior Chemist

 ND = None Detected  
 LOD = Limit of Detection  
 LOQ = Limit of Quantitation


Scan to verify